

Department of Education

Region IV-A
SCHOOLS DIVISION OF QUEZON PROVINCE



28 February 2022

DIVISION MEMORANDUM DM No. 165, s. 2022

DISTRIBUTION OF THE TECHNICAL-VOCATIONAL-LIVELIHOOD (TVL) LEARNING TOOLS AND EQUIPMENT

To: OIC- Assistant Schools Division Superintendents

Division Chiefs

Education Program Supervisors
Public Schools District Supervisors

Select Secondary Schools School Heads with Senior High School Offering

All Others Concerned

- This Office announces the release of the Technical-Vocational-Livelihood (TVL) learning tools and equipment to selected public Senior High School Technical-Vocational-Livelihood Program offering.
- Recipient schools are advised to get the learning tools and equipment from the Supply Section starting March 01, 2022. See attached Distribution List and Inventory Custodian Slip for the list of tools and equipment.
- 3. Travel and incidental expenses shall be charged to school Maintenance and Other Operating Expenses (MOOE) or local funds subject to the usual accounting and auditing procedures.

4. Immediate dissemination of this Memorandum is desired.

ELIAS A. ALICAYA JR. EdD

Assistant Schools Division Superintendent

Officer-in-Charge

Office of the Schools Division Superintendent

SUP-mcsr/02/28/2022 DEPEDQUEZON-TM-SDS-04-009-003



Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon

Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321

Email Address: quezon@deped.gov.ph Website: www.depedquezon.com.ph



Department of Education

Region IV-A

SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVL TOOLS AND/OR EQUIPMENT

Name of School	Schools District	Qty	Materials to be Received
Binahaan Integrate d School	Pagbilao II	2 pieces	 1/2 EMT Bender (Specification: Product dimension: 36 x 6 x 2 inches, item weight: 4.4 pounds)
d School		2 pieces	 Steel Tape Measure, 5 meters (Material: Casing-pocket-type, hard plastic, tape steel; scale Metric (smallest graduation in mm) and English (smallest graduation is 1/16); With locking mechanism = easy to work thumb push button, self-retracting
		2 pieces	 Safety Gogles (Materials: Polycarbonate lens and vinyl frame; Transparent wide angle white lens for un-obstructed vision and comfortable fit over eyeglasses must provide protection against small particle impact, dusts and sparks; comes with adjustable strap; must meet appropriate ANSI standard; the materials used must be non-toxic.
		3 pieces	Working Gloves (Usage: rubber gloves to provide protection from electrical shock when handling electrical lines and equipment; Material: electric rubber (up to 1000 volts) must conform with ASTM D120; Must come with leather glove protector; The materials used must be non-toxic.
	2 piece	2 pieces	 Claw Hammer 16 oz (Material: solid steel claw and head that have smooth surface and edges, with hardwood handle having smooth surfaces and
			edges; Head Diameter:1 3/16" (minimum); With curved claw: Length of handle 12" to 13"; Weight 16 oz
		2 pieces	 Longnose pliers (Type: long nose plier with serrated jaw and side cutter for cutting wires; Material: chrome vanadium steel: Over-all length:9-1/2"; Handle shall be insulated; resistive insulator: range 250V-1000V, conforming to IEC regulations

DEPEDQUEZON-TM-SDS-04-025-003





Department of Education

Region IV-A
SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVL TOOLS AND/OR EQUIPMENT

	LIST OF	SCHOOLS		EIVE TVL TOOLS AND/OR EQUIPMENT
			2 pieces 2 pieces	 Electrical Pliers (Construction: made pf forged steel with serrated jaw and insulated cushion grip handles; Over-all length:9' to 10' Note: insulation must comply with IEC and ASTM standards; Materials used must be non-toxic 2 pieces Spirit steel bar M11
2.	2. Busdak Patnanun gan	1 piece	Sheet Pan (Material: Aluminum; Thickness: 0.06" (minimum) Length: 17" (minimum) Width 12" (minimum); Height 3/16" (minimum)); Smooth finish surfaces without sharp edges; Corrosion resistant; Heat resistant; food grade; the materials used must be non-toxic.	
			5 pieces	 Muffin Pan, small (Materials: Anodized Aluminum; Thickness 2/32": cup diameter: 3 1/4"; Length: 20.63" (minimum) Width: 14.13" (minimum); Depth: 2" (minimum): Number of cups in a tray: 24cup; Cup diameter: 2 3/4"; Extended sides for an easy grip and smooth surfaces with no sharp edges
			1 piece	 Round Cake 8 inch (Material: Anodized Aluminum Thickness: 1/16"9Minimum); Depth: 3" to 5";4 Set must contain the Volume Capacities (8"-2.1L (minimum)
3.	Jomalig NHS	Jomalig	1 piece	 Rake (Specification: Tine material: high carbon steel; tine number; 14 pcs (minimum); Handle length: 51" (minimum; Tine length 2 3/4" (minimum) comes with hard wood handle and welded blade socket; the item must safe to use by HS students
			1 piece	 Bolo (Specification: Material: Forged steel, high carbon; Overall length: 17 to 17 1/2'; Blade length 12 to 12 1/2 "; Thickness: 3/16" (minimum); width: 2 1/4" widest (minimum; 1 3/4" narrowest (minimum); full tang; comes with sheath and wooden handle
			1 piece	Spade Shovel (Specification: Material Steel, Length: 28 cm, Thick 1.2 cm)

DEPEDQUEZON-TM-SDS-04-025-003



Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon

Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321



Department of Education

Region IV-A SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVL TOOLS AND/OR EQUIPMENT

			1 piece	 Digging Bar (specification: Heavy duty, blade made of 3.5 inches molye blade. Tube handle made of 1 1/2 galvanized tubing, weight 3.5 kg Pick Mattock (Material: Heavy duty forged steel head; chisel blade =1.5 inches (minimum); Pick axe length=6 inches (minimum); Head capacity: 1.0 pound (minimum); Wooden handle (hardwood); Handle length; 36 inches (minimum); The head must be press fitted for maximum safety)
4.	Lubayat NHS	Real	1 piece	 Pressure cooker (Body ,materials: Stainless steel; Diameter=11 inches (minimum); Height=11 1/2 inches (minimum) Overall Length including handle= 17 inches Capacity -10 Quarts with pressure regulator that maintains the proper cooking pressure
			2 pieces	 Meat Chopper Machine (Cutter Material High Carbon Steel (Rust Free); Cutting pot materials: Stainless steel; Cutting pot speed: 11 to 14 rev/min; Pot/ Bowl Capacity: 50 to 100 Liters; Chopper/Knives speed: 1500 rev/min (minimum); Rated Power: 15 to 20 KW; Rated Voltage: 220/240V AC, 60Hz; Comes with English user's manual
5.	Taluong NHS	Polillo	1 piece	 Rake (Specification: Tine material: high carbon steel; tine number; 14 pcs (minimum); Handle length: 51" (minimum; Tine length 2 3/4" (minimum) comes with hard wood handle and welded blade socket; the item must safe to use by HS students
			1 piece	 Bolo (Specification: Material: Forged steel, high carbon; Overall length: 17 to 17 1/2'; Blade length 12 to 12 1/2 "; Thickness: 3/16" (minimum); width: 2 1/4" widest (minimum; 1 3/4" narrowest (minimum); full tang; comes with sheath and wooden handle

DEPEDQUEZON-TM-SDS-04-025-003



Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon

Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321



Department of Education

Region IV-A SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVL TOOLS AND/OR EQUIPMENT

	2.01 01	00110020	1 piece	Spade Shovel (Specification: Material Steel,
			4	Length: 28 cm, Thick 1.2 cm)
			1 piece	 Pick Mattock (Material: Heavy duty forged steel head; chisel blade =1.5 inches (minimum); Pick axe length=6 inches (minimum); Head capacity: 1.0 pound (minimum); Wooden handle (hardwood); Handle length; 36 inches (minimum); The head must be press fitted for maximum safety)
6.	Lalig NHS	Tiaong I	1 piece	 1 piece Multi-function printer with Integrated Ink Tanks; Minimum Droplet Size:3pl, With Variable Sized Droplet Technology; Ink Technology; Ink Technology: Dye Ink; Printing Resolution: 5,760 x 1,440 DPI; 3 in one function: Print, Scan, Copy; Minimum of 100 ml capacity to external tanks; capable of scanning A4 and Letter size paper; With ink minimum of 100 ml; The materials used must be non-toxic
7.	Quezon NHS	Sariaya East	1 piece	• 2 pieces Multi-function printer with Integrated Ink Tanks; Minimum Droplet Size:3pl, With Variable Sized Droplet Technology; Ink Technology; Ink Technology: Dye Ink; Printing Resolution: 5,760 x 1,440 DPI; 3 in one function: Print, Scan, Copy; Minimum of 100 ml capacity to external tanks; capable of scanning A4 and Letter size paper; With ink minimum of 100 ml; The materials used must be non-toxic
8.	Sta. Lucia NHS	Dolores	1 piece	 Rake (Specification: Tine material: high carbon steel; tine number; 14 pcs (minimum); Handle length: 51" (minimum; Tine length 2 3/4" (minimum) comes with hard wood handle and welded blade socket; the item must safe to use by HS students Bolo (Specification: Material: Forged steel, high carbon; Overall length: 17 to 17 1/2'; Blade length 12 to 12 1/2"; Thickness: 3/16" (minimum); width: 2 1/4" widest (minimum; 1 3/4" narrowest

DEPEDQUEZON-TM-SDS-04-025-003



Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321



Department of Education

Region IV-A SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVL TOOLS AND/OR EQUIPMENT

LISTOFS	SCHOOLS	TOREC	(minimum); full tang; comes with sheath and
			wooden handle
		1 piece	 Spade Shovel (Specification: Material Steel, Length: 28 cm, Thick 1.2 cm)
		1 piece	 Pick Mattock (Material: Heavy duty forged steel head; chisel blade =1.5 inches (minimum); Pick axe length=6 inches (minimum); Head capacity: 1.0 pound (minimum); Wooden handle (hardwood); Handle length; 36 inches (minimum); The head must be press fitted for maximum safety)
9. Buenavis ta NHS	Buenavist a I	4 pieces	 Chef Knife Blade length: 8 inches; blade Materials: Stainless steel; Over All length: 12 inches cutting Edge: Straight, pointed end; Full-tang; With bolster; Handle: Riveted PP (Polypropylene); Blade thickness: 2mm to 2.5mm; Blade thickness: 2 mm to 2.5mm; Blade width: 3cm to 3.5cm
		3 pieces	 Boning Knife Wooden handle high quality materials: stainless steel 3mm thick blade
		4 pieces	 Oysters Knife (Blade Material: Stainless steel; Blade length: 3 to 4 inches; Bladew width at center point: 8 to 10 mm; total length (from butt of the handle up to pointed tip of the blade): 6 to 8 inches; comes with hard plastic handle)
		3 pieces	 Cleaver Knife (Blade length:6inches; Overall length: 10 inches; blade material: Stainless steel; Cutting Edge: Straight; Handle: Full steel With bolster: Blade Thickness: 3mm; Blade width: 85 mm
		3 pieces 4 pieces	 Tenderizer Medium size 19.5cm x 4.5 cm Stainless Fine Mesh Strainer 4 diameter mesh basket & 7.4 handle
10. Danlagan NHS	Padre Burgos	1 piece	1/2 EMT Bender (Specification: Product dimension: 36 x 6 x 2 inches, item weight: 4.4 pounds)

DEPEDQUEZON-TM-SDS-04-025-003



Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon

Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321



Department of Education Region IV-A

SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVI. TOOLS AND/OR FOLIPMENT

LIST OF SCHOOLS TO REC	CEIVE TVL TOOLS AND/OR EQUIPMENT
3 pieces	Steel Tape Measure, 5 meters (Material: Casing-
	pocket-type, hard plastic, tape steel; scale Metric
	(smallest graduation in mm) and English
	graduation is 1/16); With locking mechanism =,
	easy to work thumb push button, self-retracting
2 pieces	Safety Gogles (Materials: Polycarbonate lens and
	vinyl frame; Transparent wide angle white lens for
	un-obstructed vision and comfortable fit over
	eyeglasses must provide protection against small
	particle impact, dusts and sparks; comes with
	adjustable strap; must meet appropriate ANSI
	standard; the materials used must be non-toxic.
2 pieces	Working Gloves (Usage: rubber gloves to provide)
	protection from electrical shock when handling
	electrical lines and equipment; Material: electric
	rubber (up to 1000 volts) must conform with ASTM
	D120; Must come with leather glove protector; The
	materials used must be non-toxic
3 pieces	Claw Hammer 16 oz (Material: solid steel claw and
	head that have smooth surface and edges, with
	hardwood handle having smooth surfaces and
	edges; Head Diameter:1 3/16" (minimum); With
	curved claw: Length of handle 12" to 13"; Weight
2 pioces	16 oz
2 pieces	Longnose pliers (Type: long nose plier with
	serrated jaw and side cutter for cutting wires;
	Material: chrome vanadium steel: Over-all
	length:9-1/2"; Handle shall be insulated; resistive
	insulator: range 250V-1000V, conforming to IEC
2 pieces	regulations
2 510003	Electrical Pliers (Construction: made pf forged
	steel with serrated jaw and insulated cushion grip
	handles; Over-all length:9' to 10' Note: insulation
	must comply with IEC and ASTM standards; Materials used must be non-toxic
1 piece	
	Spirit steel bar M11
	J

DEPEDQUEZON-TM-SDS-04-025-003



Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon

Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321



Department of Education

Region IV-A

SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVL TOOLS AND/OR EQUIPMENT

11. Dr. Vivencio M.	San Francisco District I	2 pieces		Longnose pliers (Type: long nose plier with serrated jaw and side cutter for cutting wires; Material: chrome vanadium steel: Over-all
Marquez NHS			i	length:9-1/2"; Handle shall be insulated; resistive insulator: range 250V-1000V, conforming to IEC regulations
		1 piece		Slide cutter (Specification: Aluminum alloy body, materials of blade: SK5, double blister 61x19 mm
		2 pieces		Multi Tester for measuring AC/DC Voltage, AC current, resistance; 10 to 750 ACV; 0.1 to 1000 DCV; X1to X1k ohms; 150 mA to 150 uA; 0.25 to 50uA DCA: comes with test probe/lead, hard plastic casing; Drop/Shock proof taut band movement)
		2 pieces	•	Heavy Duty soldering iron 500 watts (Power watts: 550 watts or equivalent; Voltage:220/240 VAC, 60 Hz, single phase; maximum tip temperature:550C; overall length: 15:" (approximate dimension); Tip shank diameter: 1 1/8" Tip length: 5 7/8": Tips materials: Flat copper: comes with cord of 1.5
		2 pieces	• 1	meters with flat blade attachment plug (type A plug) Wire stripper (Material: Alloy steel; capacity to stripped: 10AWG to 24 AWG; comes with crimper, cutting edge and hard plastic (cushion) handle; overall length: 7" (minimum); Material used must be non toxic
12. Hagongh ong	Buenavist a II	1 piece	(1/2 EMT Bender (Specification: Product dimension: 36 x 6 x 2 inches, item weight: 4.4
Integrate d High School		2 pieces	• ;	pounds) Steel Tape Measure, 5 meters (Material: Casing- pocket-type, hard plastic, tape steel; scale Metric (smallest graduation in mm) and English graduation is 1/16); With locking mechanism =, easy to work thumb push button, self-retracting
		3 pieces		Safety Gogles (Materials: Polycarbonate lens and vinyl frame; Transparent wide angle white lens for

DEPEDQUEZON-TM-SDS-04-025-003



Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon

Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321



Department of Education

Region IV-A SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVL TOOLS AND/OR EQUIPMENT

LISTOFS	SCHOOLS	TOREC	EIVE TVL TOOLS AND/OR EQUIPMENT
			un-obstructed vision and comfortable fit over
The state of the s			eyeglasses must provide protection against small
			particle impact, dusts and sparks; comes with
			adjustable strap; must meet appropriate ANSI
			standard; the materials used must be non-toxic.
		2 pieces	 Working Gloves (Usage: rubber gloves to provide protection from electrical shock when handling electrical lines and equipment; Material: electric rubber (up to 1000 volts) must conform with ASTM D120; Must come with leather glove protector; The materials used must be non-toxic
		2 pieces	Claw Hammer 16 oz (Material: solid steel claw and
			head that have smooth surface and edges, with hardwood handle having smooth surfaces and edges; Head Diameter:1 3/16" (minimum); With curved claw: Length of handle 12" to 13"; Weight 16 oz
		3 pieces	 Longnose pliers (Type: long nose plier with serrated jaw and side cutter for cutting wires; Material: chrome vanadium steel: Over-all length:9-1/2"; Handle shall be insulated; resistive insulator: range 250V-1000V, conforming to IEC regulations
		2 pieces	 Electrical Pliers (Construction: made pf forged steel with serrated jaw and insulated cushion grip handles; Over-all length:9' to 10' Note: insulation must comply with IEC and ASTM standards; Materials used must be non-toxic
		1 piece	Spirit steel bar M11
13. Jacinto G. Esplana NHS	San Francisco District I	2 pieces	 Longnose pliers (Type: long nose plier with serrated jaw and side cutter for cutting wiees; Material: chrome vanadium steel: Over-all length:9-1/2"; Handle shall be insulated; resistive insulator: range 250V-1000V, conforming to IEC regulations
		2 pieces	 Slide cutter (Specification: Aluminum alloy body, materials of blade: SK5, double blister 61x19 mm

DEPEDQUEZON-TM-SDS-04-025-003



Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon

Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321



Department of Education Region IV-A SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVI. TOOLS AND/OR FOLIPMENT

LISTUF	LIST OF SCHOOLS TO RECEIVE TVL TOOLS AND/OR EQUIPMENT					
		1 piece	 Multi Tester for measuring AC/DC Voltage, AC current, resistance; 10 to 750 ACV; 0.1 to 1000 DCV; X1to X1k ohms; 150 mA to 150 uA; 0.25 to 50uA DCA: comes with test probe/lead, hard plastic casing; Drop/Shock proof taut band movement) 			
		2 pieces	 Heavy Duty soldering iron 500 watts (Power watts: 550 watts or equivalent; Voltage:220/240 VAC, 60 Hz, single phase; maximum tip temperature:550C; overall length: 15:" (approximate dimension); Tip shank diameter: 1 1/8" Tip length: 5 7/8": Tips materials: Flat copper: comes with cord of 1.5 meters with flat blade attachment plug (type A plug) 			
		2 pieces	Wire stripper (Material: Alloy steel; capacity to stripped: 10AWG to 24 AWG; comes with crimper, cutting edge and hard plastic (cushion) handle; overall length: 7" (minimum); Material used must be non-toxic			
14. Lualhati D. Edańo NHS	San Francisco District II	1 piece	Pressure cooker (Body ,materials: Stainless steel; Diameter=11 inches (minimum); Height=11 1/2 inches (minimum) Overall Length including handle= 17 inches Capacity -10 Quarts with pressure regulator that maintains the proper cooking pressure			
		1 piece	 Meat Chopper Machine (Cutter Material High Carbon Steel (Rust Free); Cutting pot materials: Stainless steel; Cutting pot speed: 11 to 14 rev/min; Pot/ Bowl Capacity: 50 to 100 Liters; Chopper/Knives speed: 1500 rev/min (minimum); Rated Power: 15 to 20 KW; Rated Voltage: 220/240V AC, 60Hz; Comes with English user's manual 			
15. Magsays ay NHS	Mulanay II	1 piece	 Rake (Specification: Tine material: high carbon steel; tine number; 14 pcs (minimum); Handle length: 51" (minimum; Tine length 2 3/4" 			

DEPEDQUEZON-TM-SDS-04-025-003



Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon

Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321



Department of Education

Region IV-A
SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVL TOOLS AND/OR EQUIPMENT

		1 piece 1 piece	 (minimum) comes with hard wood handle and welded blade socket; the item must safe to use by HS students Bolo (Specification: Material: Forged steel, high carbon; Overall length: 17 to 17 1/2'; Blade length 12 to 12 1/2 "; Thickness: 3/16" (minimum); width: 2 1/4" widest (minimum; 1 3/4" narrowest (minimum); full tang; comes with sheath and wooden handle Spade Shovel (Specification: Material Steel, Length: 28 cm, Thick 1.2 cm) Pick Mattock (Material: Heavy duty forged steel head; chisel blade =1.5 inches (minimum); Pick axe length=6 inches (minimum); Head capacity: 1.0 pound (minimum); Wooden handle (hardwood); Handle length; 36 inches (minimum); The head must be press fitted for maximum safety)
16. Maligaya NHS	Buenavist a II	1 piece 1 piece 1 piece	 Portable Electric Oven capacity 48 L, power consumption 2000-3000, Voltage 220V Weighing Scale, 1000 grams, aluminum top; ALUMINUM Rubber floor; LCD Display; MODE: lbs, oz gram; TARE IN ZERO; Capacity 1 kg (1000g); Battery Operated: Double AA Rechargable; Meat Chopper Machine (Cutter Material High
		7 5.000	Carbon Steel (Rust Free); Cutting pot materials: Stainless steel; Cutting pot speed: 11 to 14 rev/min; Pot/ Bowl Capacity: 50 to 100 Liters; Chopper/Knives speed: 1500 rev/min (minimum); Rated Power: 15 to 20 KW; Rated Voltage: 220/240V AC, 60Hz; Comes with English user's manual
17. Olongtao NHS	Macalelo n	1 piece	 Rake (Specification: Tine material: high carbon steel; tine number; 14 pcs (minimum); Handle length: 51" (minimum; Tine length 2 3/4" (minimum) comes with hard wood handle and

DEPEDQUEZON-TM-SDS-04-025-003



Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon

Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321



Department of Education

Region IV-A
SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVL TOOLS AND/OR EQUIPMENT

LIO I OI	COLOCE	TORLE	EIVE IVE TOOLS AND/OR EQUIPMENT
			welded blade socket; the item must safe to use by HS students
		1 piece	 Bolo (Specification: Material: Forged steel, high carbon; Overall length: 17 to 17 1/2'; Blade length 12 to 12 1/2 "; Thickness: 3/16" (minimum); width: 2 1/4" widest (minimum; 1 3/4" narrowest (minimum); full tang; comes with sheath and wooden handle
		1 piece	 Spade Shovel (Specification: Material Steel, Length: 28 cm, Thick 1.2 cm)
		1 piece	 Digging Bar (specification: Heavy duty, blade made of 3.5 inches molye blade. Tube handle made of 1 1/2 galvanized tubing, weight 3.5 kg
		1 piece	 Pick Mattock (Material: Heavy duty forged steel head; chisel blade =1.5 inches (minimum); Pick axe length=6 inches (minimum); Head capacity: 1.0 pound (minimum); Wooden handle (hardwood); Handle length; 36 inches (minimum); The head must be press fitted for maximum safety)
18. Pugon NHS	San Francisco	1 piece	 Portable Electric Oven capacity 48 L, power consumption 2000-3000, Voltage 220V
		1 piece	 Weighing Scale, 1000 grams, aluminum top; ALUMINUM Rubber floor; LCD Display; MODE: Ibs, oz gram; TARE IN ZERO; Capacity 1 kg (1000g); Battery Operated: Double AA Rechargable; Meat Chopper Machine (Cutter Material High Carbon Steel (Rust Free); Cutting pot materials: Stainless steel; Cutting pot speed: 11 to 14 rev/min; Pot/ Bowl Capacity: 50 to 100 Liters; Chopper/Knives speed: 1500 rev/min (minimum); Rated Power: 15 to 20 KW; Rated Voltage: 220/240V AC, 60Hz; Comes with English user's manual
19. San Isidro NHS	General Luna	1 piece	 piece Portable Electric Oven capacity 48 L, power consumption 2000-3000, Voltage 220V

DEPEDQUEZON-TM-SDS-04-025-003



Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon

Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321



Department of Education

Region IV-A SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVL. TOOLS AND/OR EQUIPMENT

LIST OF	SCHOOLS	TO REC	EIVE TVL TOOLS AND/OR EQUIPMENT
		1 piece 1 piece	 Weighing Scale, 1000 grams, aluminum top; ALUMINUM Rubber floor; LCD Display; MODE: Ibs, oz gram; TARE IN ZERO; Capacity 1 kg (1000g); Battery Operated: Double AA Rechargable; Measuring cup Material: Hard Plastic, food grade; Color: Assorted, 1 color per size; Each set contains the following: For validation; 8 pcs - 1 cup (250 ml); 8 pcs - 1/2 cup markings shown clearly on each handle. Handles have loops for hanging or ring storage; The plastic material used must be non-toxic
20. San Roque NHS	Catanaua n I	2 pieces	 Longnose pliers (Type: long nose plier with serrated jaw and side cutter for cutting wires; Material: chrome vanadium steel: Over-all length:9-1/2"; Handle shall be insulated; resistive insulator: range 250V-1000V, conforming to IEC regulations
		2 pieces	 Slide cutter (Specification: Aluminum alloy body, materials of blade: SK5, double blister 61x19 mm Multi Tester for measuring AC/DC Voltage, AC
	-	2 pieces	current, resistance; 10 to 750 ACV; 0.1 to 1000 DCV; X1to X1k ohms; 150 mA to 150 uA; 0.25 to 50uA DCA: comes with test probe/lead, hard plastic casing; Drop/Shock proof taut band movement)
		1 piece	 Heavy Duty soldering iron 500 watts (Power watts: 550 watts or equivalent; Voltage:220/240 VAC, 60 Hz, single phase; maximum tip temperature:550C; overall length: 15:" (approximate dimension); Tip shank diameter: 1 1/8" Tip length: 5 7/8": Tips materials: Flat copper: comes with cord of 1.5 meters with flat blade attachment plug (type A plug)
		3 pieces	 Wire stripper (Material: Alloy steel; capacity to stripped: 10AWG to 24 AWG; comes with crimper, cutting edge and hard plastic (cushion) handle;

DEPEDQUEZON-TM-SDS-04-025-003



Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon

Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321



Department of Education

Region IV-A

SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVL TOOLS AND/OR EQUIPMENT

2.01 01	00110020	. O KEC	overall length: 7" (minimum); Material used must				
			be non-toxic				
21. Sto Nińo NHS	San Francisco	1 piece	 Rake (Specification: Tine material: high carbon steel; tine number; 14 pcs (minimum); Handle length: 51" (minimum; Tine length 2 3/4" (minimum) comes with hard wood handle and welded blade socket; the item must safe to use by HS students 				
		1 piece	 Bolo (Specification: Material: Forged steel, high carbon; Overall length: 17 to 17 1/2'; Blade length 12 to 12 1/2 "; Thickness: 3/16" (minimum); width 2 1/4" widest (minimum; 1 3/4" narrowes (minimum); full tang; comes with sheath and wooden handle 				
		1 piece	Spade Shovel (Specification: Material Steel, Length: 28 cm, Thick 1.2 cm)				
		1 piece	Wheel Borrow (Load capacity: 150kg, Material made of metal, solid rubber wheel tire type, Wheel size: 13 inches easy to assemble)				
		1 piece	 Pick Mattock (Material: Heavy duty forged steel head; chisel blade =1.5 inches (minimum); Pick axe length=6 inches (minimum); Head capacity: 1.0 pound (minimum); Wooden handle (hardwood); Handle length; 36 inches (minimum); The head must be press fitted for maximum safety) 				
22. Bagong Silang NHS	Tagkawa 3 pieces Cookery 3 pieces Chef Knife Blade inches; blade Materials: Stainless stee length: 12 inches cutting Edge: Straiglend; Full-tang; With bolster; Handle: Reference (Polypropylene); Blade thickness: 2mm		 Cookery 3 pieces Chef Knife Blade length: 8 inches; blade Materials: Stainless steel; Over All length: 12 inches cutting Edge: Straight, pointed end; Full-tang; With bolster; Handle: Riveted PP (Polypropylene); Blade thickness: 2mm to 2.5mm; Blade thickness: 2 mm to 2.5mm; Blade width: 3cm to 3.5cm 				
		4 pieces	Boning Knife Wooden handle high quality materials: stainless steel 3mm thick blade				
		3 pieces	 Oysters Knife (Blade Material: Stainless steel; Blade length: 3 to 4 inches; Bladew width at center 				

DEPEDQUEZON-TM-SDS-04-025-003



Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon

Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321



Department of Education

Region IV-A SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVL TOOLS AND/OR EQUIPMENT

LIST OF	SCHOOLS	TOREC	CEIVE TVL TOOLS AND/OR EQUIPMENT
		3 pieces	point: 8 to 10 mm; total length (from butt of the handle up to pointed tip of the blade): 6 to 8 inches; comes with hard plastic handle) Cleaver Knife (Blade length:6inches; Overall length: 10 inches; blade material: Stainless steel; Cutting Edge: Straight; Handle: Full steel With bolster: Blade Thickness: 3mm; Blade width: 85 mm Tenderizer Medium size 19.5cm x 4.5 cm
		3 pieces	Stainless Fine Mesh Strainer 4 diameter mesh basket & 7.4 handle
23. Cabibiha n NHS	Tagkawa yan I	1 piece	Portable Electric Oven capacity 48 L, power consumption 2000-3000, Voltage 220V
		1 piece	 Weighing Scale, 1000 grams, aluminum top; ALUMINUM Rubber floor; LCD Display; MODE: lbs, oz gram; TARE IN ZERO; Capacity 1 kg (1000g); Battery Operated: Double AA Rechargable;
		1 piece	 Measuring cup Material: Hard Plastic, food grade; Color: Assorted, 1 color per size; Each set contains the following: For validation; 8 pcs - 1 cup (250 ml); 8 pcs - 1/2 cup markings shown clearly on each handle. Handles have loops for hanging or ring storage; The plastic material used must be non-toxic
24. Evaristo R. Macalinta I MNHS	Quezon	1 piece	 Longnose pliers (Type: long nose plier with serrated jaw and side cutter for cutting wires; Material: chrome vanadium steel: Over-all length:9-1/2"; Handle shall be insulated; resistive insulator: range 250V-1000V, conforming to IEC regulations
		2 pieces	Slide cutter (Specification: Aluminum alloy body, materials of blade: SK5, double blister 61x19 mm Multi-Tester for managing AC/DC Voltage AC
		2 pieces	 Multi Tester for measuring AC/DC Voltage, AC current, resistance; 10 to 750 ACV; 0.1 to 1000 DCV; X1to X1k ohms; 150 mA to 150 uA; 0.25 to 50uA DCA: comes with test probe/lead, hard

DEPEDQUEZON-TM-SDS-04-025-003





Department of Education

Region IV-A

SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVL TOOLS AND/OR EQUIPMENT

			plastic casing; Drop/Shock proof taut band movement)
		2 pieces	 Heavy Duty soldering iron 500 watts (Power watts: 550 watts or equivalent; Voltage:220/240 VAC, 60 Hz, single phase; maximum tip temperature:550C; overall length: 15:" (approximate dimension); Tip shank diameter: 1 1/8" Tip length: 5 7/8": Tips materials: Flat copper: comes with cord of 1.5
		3 pieces	 meters with flat blade attachment plug (type A plug) Wire stripper (Material: Alloy steel; capacity to stripped: 10AWG to 24 AWG; comes with crimper, cutting edge and hard plastic (cushion) handle; overall length: 7" (minimum); Material used must be non-toxic
25. Guites	West 1 pie	1 piece	Portable Electric Oven capacity 48 L, power Portable Electric Oven capacity 48 L, power Portable Electric Oven capacity 48 L, power
NHS		1 piece	 consumption 2000-3000, Voltage 220V Weighing Scale, 1000 grams, aluminum top; ALUMINUM Rubber floor; LCD Display; MODE: Ibs, oz gram; TARE IN ZERO; Capacity 1 kg (1000g); Battery Operated: Double AA Rechargable;
		1 piece	 Measuring cup Material: Hard Plastic, food grade; Color: Assorted, 1 color per size; Each set contains the following: For validation; 8 pcs - 1 cup (250 ml); 8 pcs - 1/2 cup markings shown clearly on each handle. Handles have loops for hanging or ring storage; The plastic material used must be non-toxic
26. Ilayang Ilog – A NHS			 Rake (Specification: Tine material: high carbon steel; tine number; 14 pcs (minimum); Handle length: 51" (minimum; Tine length 2 3/4" (minimum) comes with hard wood handle and welded blade socket; the item must safe to use by HS students
		1 piece	Shovel (Specification: Material Steel, Length: 28 cm, Thick 1.2 cm)

DEPEDQUEZON-TM-SDS-04-025-003



Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon

Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321



Department of Education

Region IV-A
SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVL TOOLS AND/OR EQUIPMENT

		1 piece	 Wheel Borrow (Load capacity: 150kg, Material made of metal, solid rubber wheel tire type, Wheel size: 13 inches easy to assemble) Pick Mattock (Material: Heavy duty forged steel head; chisel blade =1.5 inches (minimum); Pick axe length=6 inches (minimum); Head capacity: 1.0 pound (minimum); Wooden handle (hardwood); Handle length; 36 inches (minimum); The head must be press fitted for maximum safety)
27. Joel B. Arquiza NHS	Quezon	1 piece	 Portable Electric Oven capacity 48 L, power consumption 2000-3000, Voltage 220V Weighing Scale, 1000 grams, aluminum top; ALUMINUM Rubber floor; LCD Display; MODE: lbs, oz gram; TARE IN ZERO; Capacity 1 kg (1000g); Battery Operated: Double AA Rechargable;
		1 piece	 Measuring cup Material: Hard Plastic, food grade; Color: Assorted, 1 color per size; Each set contains the following: For validation; 8 pcs - 1 cup (250 ml); 8 pcs - 1/2 cup markings shown clearly on each handle. Handles have loops for hanging or ring storage; The plastic material used must be non-toxic
28. Katimo NHS	Tagkawa yan I	1 piece	 Multi-function printer with Integrated Ink Tanks; Minimum Droplet Size:3pl, With Variable Sized Droplet Technology; Ink Technology; Ink Technology: Dye Ink; Printing Resolution: 5,760 x 1,440 DPI; 3 in one function: Print, Scan, Copy; Minimum of 100 ml capacity to external tanks; capable of scanning A4 and Letter size paper; With ink minimum of 100 ml; The materials used must be non-toxic
29. Malusak NHS	Atimonan I	1 piece	 Multi-function printer with Integrated Ink Tanks; Minimum Droplet Size:3pl, With Variable Sized Droplet Technology; Ink Technology; Ink Technology: Dye Ink; Printing Resolution: 5,760 x

DEPEDQUEZON-TM-SDS-04-025-003



Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon

Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321



Department of Education

Region IV-A
SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVL TOOLS AND/OR EQUIPMENT

		TORLE	1,440 DPI; 3 in one function: Print, Scan, Copy; Minimum of 100 ml capacity to external tanks; capable of scanning A4 and Letter size paper; With ink minimum of 100 ml; The materials used
			must be non-toxic
30. SANMAN DELCAR	Tagkawa yan II	1 piece	 Portable Electric Oven capacity 48 L, power consumption 2000-3000, Voltage 220V
NHS		1 piece	 Weighing Scale, 1000 grams, aluminum top; ALUMINUM Rubber floor; LCD Display; MODE: Ibs, oz gram; TARE IN ZERO; Capacity 1 kg (1000g); Battery Operated: Double AA Rechargable;
		1 piece	 Measuring cup Material: Hard Plastic, food grade; Color: Assorted, 1 color per size; Each set contains the following: For validation; 8 pcs - 1 cup (250 ml); 8 pcs - 1/2 cup markings shown clearly on each handle. Handles have loops for hanging or ring storage; The plastic material used must be non-toxic
31. Sta. Cruz NHS	Guinayan gan North	1 piece	 Wheel Borrow (Load capacity: 150kg, Material made of metal, solid rubber wheel tire type, Wheel size: 13 inches easy to assemble)
		1 piece	 Digging Bar (specification: Heavy duty, blade made of 3.5 inches molye blade. Tube handle made of 1 1/2 galvanized tubing, weight 3.5 kg
		1 piece	 Pick Mattock (Material: Heavy duty forged steel head; chisel blade =1.5 inches (minimum); Pick axe length=6 inches (minimum); Head capacity: 1.0 pound (minimum); Wooden handle (hardwood); Handle length; 36 inches (minimum); The head must be press fitted for maximum safety)
32. Sto. Nińo Ilaya NHS	Lopez East	1 piece	Wheel Borrow (Load capacity: 150kg, Material made of metal, solid rubber wheel tire type, Wheel size: 13 inches easy to assemble)

DEPEDQUEZON-TM-SDS-04-025-003



Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon

Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321



Department of Education

Region IV-A

SCHOOLS DIVISION OF QUEZON PROVINCE

LIST OF SCHOOLS TO RECEIVE TVL TOOLS AND/OR EQUIPMENT

		1 piece	 Digging Bar (specification: Heavy duty, blade made of 3.5 inches molye blade. Tube handle made of 1 1/2 galvanized tubing, weight 3.5 kg 			
33. Villa San Isidro NHS	o West	1 piece	 Wheel Borrow (Load capacity: 150kg, Material made of metal, solid rubber wheel tire type, Wheel size: 13 inches easy to assemble) 			
		1 piece	 Digging Bar (specification: Heavy duty, blade made of 3.5 inches molye blade. Tube handle made of 1 1/2 galvanized tubing, weight 3.5 kg 			

Prepared by:

JUANITO A. MERLE, EdD

Education Program Supervisor

Noted by:

LORENA S. WALANGSUMBAT, EdD
Chief, Curriculum Implementation Division

Approved by:

ELIAS A. ALICAYA, JR., EdD

Asst. Schools Division Superintendent OIC, Office of the Schools Division Superintendent





INVENTORY CUSTODIAN SLIP

	Entity Name: BINAHAAN IS - PAGBILAO II Fund Cluster: ICS No :							
Quantity	Unit		Total Cost	Description	Inventory Item No.	Estimated Useful Life		
2	рс			1/2 EMT BENDER				
2	рс			STEEL TAPE MEASURE				
2	рс			SAFETY GOOGLES				
3	рс			WORKING GLOVES				
2	рс			CLAW HAMMER 16 oz				
2	рс			LONG NOSE PLIERS				
2	рс			ELECTRICAL PLIERS				
2	рс			SPIRIT STEEL BAR M11				
Received	from:			Received by:				
received				Received by.				
GEORGE D. AGUILA Signature Over Printed Name Supply Officer II Position/Office		r Printed Nar		Signature Over Printed Name Position/Office				
Date			ate	Date	Date			