

Republic of the Philippines

Department of Education

Region IV-A SCHOOLS DIVISION OF QUEZON PROVINCE



13 June 2022

DIVISION MEMORANDUM DM No. 480, s. 2022

MONITORING OF THE ADMINISTRATION OF THE EARLY LANGUAGE LITERACY AND NUMERACY ASSESSMENT (ELLNA) AND NATIONAL ACHIEVEMENT TEST FOR GRADE 6 (NAT-G6)

To: Assistant Schools Division Superintendents

Division Chiefs

School Heads in-charge of Testing and Assessments School Heads in-charge of Governance and Operations

District Testing Coordinators

District Health Officers/District Nurses

All Other Concerned

- In consonance with the administration of the Early Language Literacy and Numeracy Assessment (ELLNA) and National Achievement Test for Grade 6 (NAT-G6) on June 16 and 17, 2022 respectively, all concerned District Testing Coordinators and District Nurses/Health Officers are advised to monitor the aforesaid assessment activities.
- Please use the hereto attached monitoring tools which can also be accessed through this link tinyurl.com/ELLNATG62022. Monitoring reports shall also be uploaded to this link.
- 3. Widest and immediate dissemination of this Memorandum is enjoined.

ELIAS A. ALICAYA JR., EdD

Assistant Schools Division Superintendent

Officer-in-charge

Office of the Schools Division Superintendent

sgodrra06/13/2022

DEPEDQUEZON-TM-SDS-04-009-003



"Creating Possibilities, Inspiring Innovations"

Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon

Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321

Email Address: quezon@deped.gov.ph Website: www.depedquezon.com.ph



Republic of the Philippines

Department of Education REGION IV-A CALABARZON

Sesting Program: ELLNA (SY 2021-202 Division:		Date of Testing:		
Number of Testing Rooms: Model Total Enrolment/registrants of Male	ale M session: session: yere distribut	Total PM session		
Pre-test activities in terms of the ff:	Sufficient	Insufficient	Needed additional copies	Remarks
Sufficiency of Test Materials 1.1 Test Booklet 1.2 Scannable Answer Sheet 1.3 Seat Plan 1.4 Examiners Handbook				
Testing Center Requirements			Evident	Not Evident
Distribution Room for test matconfidentiality Testing rooms are well-lighted Testing Rooms are ready: 3.1 The first and the last row the walls to allow enough 3.2 List of Examinees posted alphabetically arranged rest Proper	and ventilate of seats are conspace at the door o	ed lose as possible to		
	e the Room Examiners based on the following aspects:			Not Evident
 Testing discipline is imposed strict 1.1 No unnecessary noise while the strict of the st	ne exam is in y prohibited (phone, calcul trictly followed the test book	e.g. talking to co- ator, and the like d: let		
in the item 3. Room Examiners keep custody of the				
her Findings/Observations:				
		-	Monitoring O	fficial



Republic of the Philippines Department of Education REGION IV-A CALABARZON GATE 2. KARANGALAN VILLAGE

1900 CAINTA, RIZAL

NATIONA	L ACHIEVE	MENT TEST	(NAT)				
Testing Program: G6 (SY2021-2022) Date of Testing:							
Testing Program: G6 (SY2021-2022) Division: Date of Testing: Testing Center:							
1 November 670 C							
2. Total Enrolment/registrants of	n: A.M. session P.M. session						
Total Number of examinees:	2. Total Enrolment/registrants of (grade/year): Total Number of examinees: A.M. session: P.M. session 3. Total Number of changes: A.M. session: P.M. session						
3. Total Number of absences: A.I	M. session:	P M sess	sion:				
4. Time when the test materials	were distribute	d to Room Exam	iners				
AM session: From	to; P	M session: From	to				
Pre-test Activities on Examination Day	7	1					
Pre-test activities in terms of the			Needed				
following:	Sufficient	T. CC .	additional				
	Sufficient	Insufficient	copies	Remarks			
Sufficiency of Test Materials							
1.1 Test Booklet							
1.2 Scannable Answer Sheet							
1.3 Seat Plan				-			
1.4 Examiners Handbook							
Testing Center Requirements			Evident	Not Evident			
			Dvident	Not Evident			
 Distribution Room for test ma confidentiality 	aterials to ensu	re security and					
Testing rooms are well-lighted	d and ventilated	d		-			
Testing Rooms are ready:							
3.1 The first and the last row	of seats are clo	ose as possible t	0	<u> </u>			
the walls to allow enoug	h space						
3.2 List of Examinees poster	d at the door of	each testing roo	om,				
alphabetically arranged Test Proper	regardless of ge	ender					
Rate the Room Examiners based on the	ao followin		T = 1.				
		pects:	Evident	Not Evident			
Testing discipline is imposed strict	tly.						
1.1 No unnecessary noise while t	he exam is in p	rogress					
1.2 Cheating in any form is strict	ly prohibited (e	.g. talking to co-					
testees, use of dictionary, cell phone, calculator, and the like							
2. Refraining from the following are s	trictly followed	:					
2.1 Reading/copying test items in	2.1 Reading/copying test items in the test booklet						
2.2 Explaining/translating to the	examinees cert	tain words/used					
in the item 3. Room Examiners keep custody of t	he TBs and As	9					
	are 125 and As	5					
findings/Observations:							
manago, observations.							
				•			
		_	Monitoring (Official			
		19	ionatara arra D	Jinciai			

(Signature over Printed Name)



Republic of the Philippines

Department of Education

Region IV-A SCHOOLS DIVISION OF QUEZON PROVINCE

MONITORING TOOL FOR THE SAFETY PROTOCOLS Administration of ELLNA and NAT-G6

Name of School:					
Municipality:					
Name of School Head:					
Name of Monitor:	Date of Monitoring:				
To the Health Office or Distric for indicators that have not be		lish the mo	nitoring tool belo	ow and provide remarks	
INDICATORS		Evident	Not Evident	REMARKS	
Availability of health declaration form					
Availability of contact tracing	g register				
Availability of thermal scanner					
Availability of hand washing facility					
Availability of hand sanitizer					
The school has provided spa					
Testing rooms are well-lighte					
and allow good air circulatio					
The testing personnel wear face mask at all times					
The test-takers wear face mask at all times					
The testing personnel are fully vaccinated					
The testing rooms are thoroughly sanitized before and after each testing session					
ALL health and safety protoc	cols are strictly				
observed					
Monitored by:		COI	NFORME:		
Name and Signature of	of Monitor	Nam	ne and Signature o	of Chief Examiner	

DEPEDQUEZON-TM-SDS-04-013-003



"Creating Possibilities, Inspiring Innovations"

Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon

Trunkline #: (042) 784-0366, (042) 784-0164, (042) 784-0391, (042) 784-0321

Email Address: quezon@deped.gov.ph Website: www.depedquezon.com.ph