




Republic of the Philippines
Department of Education
Region IV-A
SCHOOLS DIVISION OF QUEZON PROVINCE



27 June 2025

DIVISION MEMORANDUM
DM No. 576, s. 2025

**CORRIGENDUM TO DM NO. 562, S. 2025 COMPARATIVE ASSESSMENT RESULT (CAR)
OF APPLICANTS FOR SCHOOL PRINCIPAL I RECLASSIFICATION**

To: Assistant Schools Division Superintendents
Chiefs - CID/SGOD
HRMPSB Members
Public Elementary and Secondary School Heads
All Others Concerned

1. In reference to DM No. 562, s. 2025 titled "Comparative Assessment Result (CAR) of Applicants for School Principal I Reclassification", this corrigendum is issued to correct the ranking result of the aforementioned position. (see attached enclosure)
2. Other details stipulated in the previous Memorandum shall remain the same.
3. The widest and immediate dissemination of this Memorandum is hereby desired.


ROMMEL O. BAUTISTA, CESO V
Schools Division Superintendent

Persmjv06/27/2025

DEPEDQUEZON-TM-SDS-04-009-003



Address: Sitio Fori, Brgy. Talipan, Pagbilao, Quezon
Trunkline #: (042) 784-0366, (042) 784-0164,
(042) 784-0391, (042) 784-0321



DepEdTayoQuezon



www.depedquezon.com.ph



quezon@deped.gov.ph

COMPARATIVE ASSESSMENT RESULT FOR EXPANDED RECLASSIFICATION (CAREER)

Position: SCHOOL PRINCIPAL I (RECLASSIFICATION)
Schools Division Office: DIVISION OF QUEZON

Date of Final Deliberation: _____

Application Code	COMPARATIVE ASSESSMENT RESULTS								Remarks	For Background Investigation (Y/N)		Recommendation/To be filled-out by the Schools Division Superintendent. Please sign opposite the name of the applicant.
	Education (10 pts)	Training (10 pts)	Experience (10 pts)	Performance (25 pts)	Outstanding Accomplishments (10 pts)	Application of Education (10 pts)	Application of Learning and Development (10 pts)	Potential (Written Exam, BEI) (15 pts)	Total (100 pts)	Yes	No	
1	AC-RC-SP1-2025-88	10.00	10.00	10.00	22.68	6.00	10.00	11.70	90.38			
2	AC-RC-SP1-2025-82	10.00	10.00	10.00	22.90	7.00	7.00	12.63	86.53			
3	AC-RC-SP1-2025-91	10.00	10.00	10.00	23.50	2.00	10.00	10.50	86.00			
4	AC-RC-SP1-2025-61	0.00	10.00	10.00	24.04	8.00	10.00	12.21	84.25			
5	AC-RC-SP1-2025-20	10.00	10.00	10.00	23.64	8.00	0.00	12.05	83.69			
6	AC-RC-SP1-2025-79	0.00	10.00	10.00	23.43	7.00	10.00	12.61	83.04			
7	AC-RC-SP1-2025-14	0.00	10.00	10.00	22.73	7.00	10.00	12.94	82.67			
8	AC-RC-SP1-2025-74	0.00	10.00	10.00	23.90	5.00	10.00	13.49	82.39			
9	AC-RC-SP1-2025-99	8.00	10.00	10.00	22.49	5.00	7.00	11.00	80.49			
10	AC-RC-SP1-2025-57	0.00	10.00	10.00	22.52	1.00	10.00	12.22	76.73			
11	AC-RC-SP1-2025-103	0.00	10.00	10.00	22.90	5.00	10.00	11.80	74.70			
12	AC-RC-SP1-2025-24	10.00	10.00	10.00	23.19	4.00	0.00	12.25	74.44			
13	AC-RC-SP1-2025-15	0.00	10.00	10.00	22.83	5.00	5.00	10.50	73.33			
14	AC-RC-SP1-2025-75	10.00	10.00	10.00	22.83	6.00	0.00	13.07	71.90			
15	AC-RC-SP1-2025-64	10.00	10.00	10.00	22.88	6.00	0.00	12.74	71.61			
16	AC-RC-SP1-2025-42	10.00	10.00	10.00	23.82	4.00	0.00	13.28	71.10			
17	AC-RC-SP1-2025-17	8.00	10.00	10.00	24.62	4.00	0.00	13.13	69.75			
18	AC-RC-SP1-2025-18	8.00	10.00	10.00	23.50	4.00	0.00	13.94	69.44			
19	AC-RC-SP1-2025-16	0.00	10.00	10.00	23.10	4.00	0.00	12.24	69.34			
20	AC-RC-SP1-2025-107	10.00	10.00	10.00	23.74	4.00	0.00	11.00	68.74			
21	AC-RC-SP1-2025-33	10.00	10.00	10.00	23.60	4.00	0.00	11.00	68.60			
22	AC-RC-SP1-2025-23	8.00	10.00	10.00	23.53	6.00	0.00	10.50	68.03			
23	AC-RC-SP1-2025-98	10.00	10.00	10.00	22.08	4.00	0.00	11.74	67.82			
24	AC-RC-SP1-2025-101	10.00	10.00	10.00	22.80	3.00	0.00	11.93	67.73			
25	AC-RC-SP1-2025-56	0.00	10.00	10.00	23.20	2.00	0.00	11.79	66.99			
26	AG-RC-SP1-2025-31	0.00	10.00	10.00	22.30	7.00	0.00	12.66	66.96			

27	AC-RC-SP1-2025-59	10.00	10.00	10.00	22.39	2.00	0.00	0.00	12.46	66.85				
28	AC-RC-SP1-2025-41	0.00	10.00	10.00	22.38	1.00	5.00	5.00	13.23	66.61				
29	AC-RC-SP1-2025-25	0.00	10.00	10.00	22.70	1.00	0.00	10.00	12.86	66.56				
30	AC-RC-SP1-2025-37	10.00	10.00	10.00	22.53	1.00	0.00	0.00	12.58	66.11				
31	AC-RC-SP1-2025-13	8.00	10.00	10.00	22.56	4.00	0.00	0.00	11.50	66.06				
32	AC-RC-SP1-2025-11	10.00	10.00	10.00	22.57	1.00	0.00	0.00	12.04	65.61				
33	AC-RC-SP1-2025-10	10.00	10.00	10.00	22.50	2.00	0.00	0.00	11.00	65.50				
34	AC-RC-SP1-2025-73	0.00	10.00	10.00	22.45	1.00	5.00	5.00	11.50	64.95				
35	AC-RC-SP1-2025-83	4.00	10.00	10.00	23.30	4.00	0.00	0.00	13.56	64.86				
36	AC-RC-SP1-2025-104	8.00	10.00	10.00	22.65	1.00	0.00	0.00	12.94	64.59				
37	AC-RC-SP1-2025-78	6.00	10.00	10.00	23.40	3.00	0.00	0.00	11.00	63.40				
38	AC-RC-SP1-2025-39	8.00	10.00	10.00	22.20	2.00	0.00	0.00	11.00	63.20				
39	AC-RC-SP1-2025-19	8.00	10.00	10.00	22.60	1.00	0.00	0.00	11.00	62.60				
40	AC-RC-SP1-2025-63	8.00	10.00	10.00	22.88	1.00	0.00	0.00	10.50	62.38				
41	AC-RC-SP1-2025-65	8.00	10.00	10.00	22.06	0.00	0.00	0.00	11.94	62.00				
42	AC-RC-SP1-2025-32	0.00	10.00	10.00	22.90	5.00	0.00	0.00	13.26	61.16				
43	AC-RC-SP1-2025-28	0.00	10.00	10.00	22.63	3.00	0.00	5.00	10.50	61.13				
44	AC-RC-SP1-2025-68	0.00	10.00	10.00	23.02	2.00	0.00	5.00	11.00	61.02				
45	AC-RC-SP1-2025-58	8.00	6.00	10.00	22.45	2.00	0.00	0.00	12.31	60.76				
46	AC-RC-SP1-2025-60	0.00	10.00	10.00	23.15	4.00	0.00	0.00	13.43	60.58				
47	AC-RC-SP1-2025-3	8.00	10.00	10.00	17.80	2.00	0.00	0.00	12.56	60.36				
48	AC-RC-SP1-2025-90	0.00	10.00	10.00	23.15	6.00	0.00	0.00	11.00	60.15				
49	AC-RC-SP1-2025-1	2.00	10.00	10.00	22.40	3.00	0.00	0.00	12.62	60.02				
50	AC-RC-SP1-2025-4	0.00	10.00	10.00	23.54	4.00	0.00	0.00	11.04	58.58				
51	AC-RC-SP1-2025-43	0.00	10.00	10.00	22.32	3.00	0.00	0.00	13.22	58.54				
52	AC-RC-SP1-2025-67	0.00	10.00	10.00	23.42	4.00	0.00	0.00	11.00	58.42				
53	AC-RC-SP1-2025-66	0.00	10.00	10.00	22.20	4.00	0.00	0.00	11.75	57.95				
54	AC-RC-SP1-2025-47	0.00	10.00	10.00	23.87	1.00	0.00	0.00	12.92	57.78				
55	AC-RC-SP1-2025-30	0.00	10.00	10.00	22.45	3.00	0.00	0.00	12.29	57.74				
56	AC-RC-SP1-2025-36	0.00	10.00	10.00	20.21	7.00	0.00	0.00	10.50	57.71				
57	AC-RC-SP1-2025-53	0.00	10.00	10.00	22.55	2.00	0.00	0.00	13.11	57.66				
58	AC-RC-SP1-2025-84	0.00	10.00	10.00	23.02	4.00	0.00	0.00	10.50	57.52				
59	AC-RC-SP1-2025-2	0.00	10.00	10.00	22.49	4.00	0.00	0.00	11.00	57.49				

60	AC-RC-SP1-2025-93	0.00	10.00	10.00	22.68	1.00	0.00	0.00	13.71	57.39				
61	AC-RC-SP1-2025-81	0.00	10.00	10.00	22.20	3.00	0.00	0.00	12.09	57.29				
62	AC-RC-SP1-2025-106	0.00	10.00	10.00	22.70	4.00	0.00	0.00	10.50	57.20				
63	AC-RC-SP1-2025-38	0.00	10.00	10.00	23.33	3.00	0.00	0.00	10.50	56.83				
64	AC-RC-SP1-2025-40	0.00	10.00	10.00	22.28	4.00	0.00	0.00	10.50	56.78				
65	AC-RC-SP1-2025-45	0.00	10.00	10.00	22.76	3.00	0.00	0.00	10.98	56.74				
66	AC-RC-SP1-2025-9	0.00	10.00	10.00	22.70	1.00	0.00	0.00	13.01	56.71				
67	AC-RC-SP1-2025-77	0.00	10.00	10.00	22.48	2.00	0.00	0.00	12.22	56.70				
68	AC-RC-SP1-2025-27	0.00	10.00	10.00	23.20	3.00	0.00	0.00	10.50	56.70				
69	AC-RC-SP1-2025-54	0.00	10.00	10.00	22.45	2.00	0.00	0.00	12.17	56.62				
70	AC-RC-SP1-2025-22	0.00	10.00	10.00	23.45	2.00	0.00	0.00	10.98	56.43				
71	AC-RC-SP1-2025-12	0.00	10.00	10.00	22.86	2.00	0.00	0.00	11.50	56.36				
72	AC-RC-SP1-2025-6	0.00	10.00	10.00	23.27	1.00	0.00	0.00	11.99	56.26				
73	AC-RC-SP1-2025-92	0.00	10.00	10.00	22.73	3.00	0.00	0.00	10.50	56.23				
74	AC-RC-SP1-2025-100	0.00	10.00	10.00	23.12	2.00	0.00	0.00	11.00	56.12				
75	AC-RC-SP1-2025-51	0.00	10.00	10.00	22.48	3.00	0.00	0.00	10.50	55.98				
76	AC-RC-SP1-2025-86	0.00	10.00	10.00	22.68	1.00	0.00	0.00	12.23	55.90				
77	AC-RC-SP1-2025-46	0.00	10.00	10.00	22.52	2.00	0.00	0.00	11.00	55.52				
78	AC-RC-SP1-2025-48	0.00	10.00	10.00	21.31	3.00	0.00	0.00	11.00	55.31				
79	AC-RC-SP1-2025-71	0.00	10.00	10.00	22.38	1.00	0.00	0.00	11.78	55.16				
80	AC-RC-SP1-2025-97	0.00	10.00	10.00	22.85	1.00	0.00	0.00	11.06	54.91				
81	AC-RC-SP1-2025-105	0.00	10.00	10.00	21.50	1.00	0.00	0.00	12.39	54.89				
82	AC-RC-SP1-2025-89	0.00	10.00	10.00	22.48	1.00	0.00	0.00	11.30	54.78				
83	AC-RC-SP1-2025-29	0.00	10.00	10.00	23.00	1.00	0.00	0.00	10.50	54.50				
84	AC-RC-SP1-2025-72	0.00	10.00	10.00	22.95	1.00	0.00	0.00	10.50	54.45				
85	AC-RC-SP1-2025-55	0.00	10.00	10.00	22.10	1.00	0.00	0.00	11.30	54.40				
86	AC-RC-SP1-2025-85	0.00	10.00	10.00	22.37	1.00	0.00	0.00	11.00	54.37				
87	AC-RC-SP1-2025-7	0.00	10.00	10.00	22.37	1.00	0.00	0.00	10.82	54.19				
88	AC-RC-SP1-2025-34	0.00	10.00	10.00	22.62	1.00	0.00	0.00	10.50	54.12				
89	AC-RC-SP1-2025-5	0.00	10.00	10.00	22.50	1.00	0.00	0.00	10.50	54.00				

90	AC-RC-SPI-2025-67	0.00	10.00	10.00	22.32	1.00	0.00	0.00	10.50	53.82			
91	AC-RC-SPI-2025-44	0.00	10.00	10.00	22.25	1.00	0.00	0.00	10.50	53.75			
92	AC-RC-SPI-2025-109	0.00	10.00	10.00	20.28	3.00	0.00	0.00	10.17	53.45			
93	AC-RC-SPI-2025-76	0.00	10.00	10.00	22.39	0.00	0.00	0.00	10.50	52.89			
94	AC-RC-SPI-2025-21	0.00	10.00	10.00	20.69	1.00	0.00	0.00	10.50	52.19			
95	AC-RC-SPI-2025-108	0.00	10.00	10.00	22.00	0.00	0.00	0.00	9.67	51.67			

WENIE O. GABIA
Administrative Officer IV/HKMO II
HRMPSB Member

LORENA S. WANGSUMBAT
CID/Chief
HRMPSB Member

JUANITO A. MERIS
SGOD Chief
HRMPSB Member

RONALDO V. GARCIA
Division Chapter President of the
Philippine Elementary Schools Principals
Association (PESPA)/Principal IV
HRMPSB Member

ELPIDIO S. JAVIER
Division Chapter President of the National
Association of Public Secondary School
Heads, Inc. (NAPSSH)/Principal III
HRMPSB Member

GREGORIO I. RACELIS
President of Public School Heads
Organization/Principal IV
HRMPSB Member

EDDIE ISMAEL L. EMOR
President of Teaching Personnel
Association/Teacher III
HRMPSB Member

ROSELVA O. RUZZO, PhD
Assistant School Division Superintendent
HRMPSB Chairperson

ROMMEL C. MOTISTA, CESO V
Schools Division Superintendent

Recommending Approval:

483777024333

www.spsd.gov.ph

Address: 1st Floor, Bldg. 1, P.O. Box 111, Quezon
Province, 1100, Quezon City, 1100, Quezon City
1100, Quezon City, 1100, Quezon City